



## SAFETY DATA SHEET

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION
Trade Name:	K-Mag®, all grades
Chemical Name:	Potassium Magnesium Sulfate
CAS Number:	14977-37-8
Chemical Family:	Inorganic Salt
Synonyms:	Potassium Magnesium Sulfate SPM Langbeinite Sulfate of Potash Magnesia
Primary Use:	Crop nutrient
Company Information:	<b>The Mosaic Company</b> 101 East Kennedy Blvd, Ste 2500 Tampa, FL 33602 www.mosaicco.com (800) 918-8270 or (813) 775-4200 8 AM to 5 PM Eastern Time USA
Emergency Telephone:	<b>EMERGENCY OVERVIEW</b> <b>24 Hour Emergency Telephone Number:</b> <b>For Chemical Emergencies:</b> <b>Spill, Leak, Fire or Accident</b> <b>Call CHEMTREC</b> <b>North America: (800) 424-9300 (reference CCN201871)</b> <b>Others: (703) 527-3887 (collect)</b>

SECTION 2	HAZARD IDENTIFICATION	
GHS Classification:	Not Applicable	Not Applicable
	<b>Signal Word: not applicable</b> <b>Hazard Statement(s)</b> Not applicable	
Label Elements:		
Prevention:	Not applicable	
Response:	Not applicable	Not applicable
	Not applicable	Not applicable
Storage:	Not applicable	Not applicable
Disposal:	Not applicable	Not applicable
Other Hazards which do not require classification:	Handling and/or processing of this material may generate dust which can cause mechanical irritation of the eyes, skin, nose and throat.	

SECTION 3	COMPOSITION INFORMATION ON INGREDIENTS			
Formula:	K <sub>2</sub> SO <sub>4</sub> · 2MgSO <sub>4</sub>			
Composition:	Potassium Magnesium Sulfate (Langbeinite)	CAS 14977-37-8	94.5-99.5%	
	Sodium Chloride	CAS 7647-14-5	0.5-2.0%	

Status: Revised  
 Section(s) Revised: 1  
 Revision Date: March 24, 2020



<b>SECTION 4</b>		<b>FIRST AID MEASURES</b>
First Aid Procedures:	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.
	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.
	Inhaled:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.
	Ingestion:	If large amounts are swallowed, seek emergency medical attention. If possible, do not leave victim unattended and observe closely for adequacy of breathing.
Note to Physician:	None Known	

<b>SECTION 5</b>		<b>FIRE FIGHTING MEASURES</b>
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire.	
Protection of Firefighters:	<p>No unusual fire or explosion hazards are expected. Combustion can yield oxides of sulfur when heated above 1000°F (537°C).</p> <p>Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials. Full structural firefighting (bunker) gear is the minimum acceptable attire. The need for proximity, entry, flashover and/or special chemical protective clothing (see Section 8) needs to be determined for each incident by a competent firefighting safety professional.</p> <p>Water used for fire suppression and cooling may become contaminated. Discharge to sewer system(s) or the environment may be restricted, requiring containment and proper disposal of water (see Section 6).</p>	

<b>SECTION 6</b>		<b>ACCIDENTAL RELEASE MEASURES</b>
Response Techniques:	<p>Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal. Large spills can harm or kill vegetation.</p>	

<b>SECTION 7</b>		<b>HANDLING AND STORAGE</b>
Handling:	<p>The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.</p>	



Storage:	Use and store this material in dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.
----------	---

<b>SECTION 8</b>		<b>EXPOSURE CONTROLS / PERSONAL PROTECTION</b>	
Engineering Controls:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.		
Personal Protective Equipment (PPE):	Eye/Face:	Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended.	
	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption.	
	Respiratory:	A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator.	
	Other:	A source of clean water should be available in the work area for flushing eyes and skin.	
General Hygiene Considerations:	Wash thoroughly after handling Use adequate ventilation		
Exposure Guidelines:	OSHA Permissible Exposure Limits (PEL):	Particulates Not Otherwise Regulated: 5 mg/m <sup>3</sup> TWA (respirable); 15 mg/m <sup>3</sup> TWA (total)	
	ACGIH Threshold Limit Value (TLV):	Particulates Not Otherwise Specified: 3 mg/m <sup>3</sup> TWA (respirable); 10 mg/m <sup>3</sup> TWA (inhalable)	

<b>SECTION 9</b>		<b>PHYSICAL AND CHEMICAL PROPERTIES</b>	
Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm).			
Appearance:	White and pink to gray, crystalline or granular	Vapor Pressure (mm Hg):	Not applicable
Odor:	None	Vapor Density (air=1):	Not applicable
Odor Threshold:	No data available	Specific Gravity or Relative Density:	2.81 – 2.85
Physical state:	Crystalline or granular solid	Bulk Density:	Loose 83 - 94 lbs/ft <sup>3</sup> (1300 - 1505 kg/m <sup>3</sup> );
pH:	Approx. 7 in a 5% solution	Solubility in Water:	Approximately 24.4% @ 77°F (25°C)
Melting Point/ Freezing Point:	972°C (1700°F)	Partition coefficient:	No data available
Boiling Point:	Not applicable	Auto-Ignition Temperature:	Not applicable
Flash Point:	Not applicable	Decomposition Temperature:	No data available

Status: Revised  
Section(s) Revised: 1  
Revision Date: March 24, 2020



Evaporation Rate:	No data available	Viscosity:	No data available
Flammability:	Not applicable	Volatility:	Not applicable
Upper/lower Flammability or explosive limits	Not applicable		

<b>SECTION 10</b>	<b>STABILITY AND REACTIVITY</b>
Chemical Stability:	Stable under normal conditions of storage and handling.
Conditions to Avoid:	Mildly corrosive to metals in the presence of moisture.
Incompatible Materials:	Strong oxidizing agents, strong acids
Hazardous Decomposition Products:	Combustion can yield oxides of sulfur when heated above 1000°F (537°C).
Corrosiveness:	Mildly corrosive to metals in the presence of moisture.
Hazardous Polymerization:	Will not occur


<b>SECTION 11</b>	<b>TOXICOLOGICAL INFORMATION</b>		
Substance:	Potassium Magnesium Sulfate		
Acute Oral Toxicity:	No data available		
Acute Inhalation Toxicity:	No data available		
Acute Dermal Toxicity:	No data available		
Substance:	Sodium Chloride		
Acute Oral Toxicity:	LD <sub>50</sub> (rat, oral) > 3000 mg/kg LD <sub>50</sub> (mouse, oral) > 4000 mg/kg		
Acute Inhalation Toxicity:	LC <sub>50</sub> (rat) > 42 g/m <sup>3</sup> / 1 hour		
Acute Dermal Toxicity:	No data available		
Mutagenesis:	No data available	Target Organ	No data available
Developmental Toxicity:	No data available	Carcinogenicity	No data available

<b>SECTION 12</b>	<b>ECOLOGICAL INFORMATION</b>
Ecotoxicology:	When dissolved in water, sodium chloride creates an elevated level of salinity that may be harmful to fresh water aquatic species and to plants that are not salt-tolerant.

<b>SECTION 13</b>	<b>DISPOSAL CONSIDERATIONS</b>
	Recover or recycle if possible. Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.



SECTION 14	TRANSPORT INFO
Regulatory Status:	Not regulated
Identification Number:	HTS 3104.90.0100
Hazard Class:	Not applicable
Proper Shipping Name	Not applicable
Packing Group	Not applicable
DOT Emergency Response Guide Number:	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable
MARPOL Annex V:	Non-HME
IMO/IMDG:	Not applicable

SECTION 15	REGULATORY INFORMATION				
CERCLA:	Not listed				
RCRA 261.33:	Not listed				
SARA TITLE III: (Exemptions at 40 CFR, Part 370 may apply for agricultural use, or for quantities of less than 10,000 pounds on-site.)	Section 302/304: Not listed	RQ: No	TPQ: No		
	Section 311/312:				
	Acute: No	Chronic: No	Fire: No	Pressure: No	Reactivity: No
	Section 313: Not listed				
NTP, IARC, OSHA:	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.				
Canada DSL and NDSL:	DSL: Yes    NDSL: Not listed				
TSCA:	Potassium Magnesium Sulfate (Langbeinite) is a naturally occurring chemical substance processed only by mechanical means that is exempted from TSCA listing per 40 CFR, Part 710.26(d). Sodium chloride is listed in the TSCA Inventory.				
CA Proposition 65: (Health & Safety Code Section 25249.5)	 WARNING: Cancer and Reproductive Harm – <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>				
WHMIS:	<b>WHMIS 2015</b> This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.				



SECTION 16	OTHER INFORMATION																					
Disclaimer:	<p>The information in this document is believed to be correct as of the date issued. <b>HOWEVER, MOSAIC MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO THE USE OF THIS PRODUCT.</b> User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application and assumes the risk of use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this product. Each user should review the recommended industrial hygiene and safe handling procedures in the specific context of the intended use and determine whether they are appropriate.</p>																					
Preparation:	The preparation of this SDS was in accordance with ANSI Z400.1-2010.																					
Revision Date:	March 24, 2020																					
Sections Revised:	1																					
SDS Number:	MOS 100042																					
References:	Globally Harmonized System of Classification and Labelling of Chemicals (GHS) – 4 <sup>th</sup> Edition 2011 OSHA Hazard Communication Standard, 2012 MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET Tomes, Toxnet, Grant (4 <sup>th</sup> Ed.), RTECS																					
Other Hazard Classifications:	<table border="1"> <thead> <tr> <th colspan="2" data-bbox="459 972 748 1010">NFPA HAZARD CLASS</th> <th colspan="2" data-bbox="776 972 1065 1010">HMIS HAZARD CLASS</th> </tr> </thead> <tbody> <tr> <td data-bbox="459 1010 634 1079">Health:</td> <td data-bbox="634 1010 748 1079">1</td> <td data-bbox="776 1010 938 1079">Health:</td> <td data-bbox="938 1010 1065 1079">1</td> </tr> <tr> <td data-bbox="459 1079 634 1117">Flammability:</td> <td data-bbox="634 1079 748 1117">0</td> <td data-bbox="776 1079 938 1117">Flammability:</td> <td data-bbox="938 1079 1065 1117">0</td> </tr> <tr> <td data-bbox="459 1117 634 1169">Instability:</td> <td data-bbox="634 1117 748 1169">0</td> <td data-bbox="776 1117 938 1169">Physical Hazard:</td> <td data-bbox="938 1117 1065 1169">0</td> </tr> <tr> <td data-bbox="459 1169 634 1220">Special Hazard:</td> <td data-bbox="634 1169 748 1220">None</td> <td data-bbox="776 1169 938 1220">PPE:</td> <td data-bbox="938 1169 1065 1220">Section 8</td> </tr> </tbody> </table>		NFPA HAZARD CLASS		HMIS HAZARD CLASS		Health:	1	Health:	1	Flammability:	0	Flammability:	0	Instability:	0	Physical Hazard:	0	Special Hazard:	None	PPE:	Section 8
	NFPA HAZARD CLASS		HMIS HAZARD CLASS																			
	Health:	1	Health:	1																		
	Flammability:	0	Flammability:	0																		
	Instability:	0	Physical Hazard:	0																		
Special Hazard:	None	PPE:	Section 8																			
<table border="1"> <thead> <tr> <th colspan="2" data-bbox="459 1251 824 1318">WHMIS 2015 (HPR) HAZARD CLASS</th> </tr> </thead> <tbody> <tr> <td data-bbox="459 1318 630 1360">Signal Word</td> <td data-bbox="630 1318 824 1360">N/A</td> </tr> <tr> <td data-bbox="459 1360 630 1402">Symbol</td> <td data-bbox="630 1360 824 1402">N/A</td> </tr> <tr> <td data-bbox="459 1402 630 1472">Classification</td> <td data-bbox="630 1402 824 1472">Not WHMIS Controlled</td> </tr> <tr> <td data-bbox="459 1472 630 1518">Hazard Statements</td> <td data-bbox="630 1472 824 1518">N/A</td> </tr> </tbody> </table>		WHMIS 2015 (HPR) HAZARD CLASS		Signal Word	N/A	Symbol	N/A	Classification	Not WHMIS Controlled	Hazard Statements	N/A											
WHMIS 2015 (HPR) HAZARD CLASS																						
Signal Word	N/A																					
Symbol	N/A																					
Classification	Not WHMIS Controlled																					
Hazard Statements	N/A																					