

SAFETY DATA SHEET

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION		
Trade Name:	Aspire® with Boron		
Chemical Name:	Potassium Chloride + Boron,		
CAS Number:	7447-40-7 + 1318-33-8 + 1330-43-4		
Chemical Family:	Inorganic Salt		
Synonyms:	Potassium Chloride + Calcium Hexaborate Pentahydrate + Sodium Tetraborate Anhydrous Potash, Potassium Muriate, Muriate of Potash (MOP)		
Primary Use:	Crop nutrient		
Company Information:	The Mosaic Company 101 East Kennedy Blvd, Ste 2500 Tampa, FL 33602 www.mosaicco.com (800) 918-8270 or (813) 775-4200 8 AM to 5 PM Eastern Time USA		
Emergency Telephone:	EMERGENCY OVERVIEW 24 Hour Emergency Telephone Number: For Chemical Emergencies: Spill, Leak, Fire or Accident Call CHEMTREC North America: (800) 424-9300 (reference CCN201871) Others: (703) 527-3887 (collect)		

SECTION 2	HAZARD IDENTIFICATION			
GHS Classification:	Reproductive Toxicity Category 2 Hazard Statement H361		Hazard Statement H361	
	Signal Word: Warning Hazard Statement(s) H361: Suspected of damaging fertility or the unborn child			
Label Elements:	Label Elements:			
Prevention:	P201: Obtain special instructions before use. See section 7 Handling and Storage. P280: Wear protective gloves/protective/clothing/eye protection/face protection. See Section 8 for suggested Personal Protective Equipment.			
Response:	P308+ P313	IF exposed or concerned: Get medical advice/attention.		
Storage:	Not applicable	Not applicable		
Disposal:	P501	Disposal of content/containers to be in accordance with local/regional/national regulations.		
Other Hazards which do not require classification:	Handling and/or processing of this material may generate dust which can cause mechanical irritation of the eyes, skin, nose and throat.			

Status: Revised Section(s) Revised: 1 Revision Date: March 24, 2020

Page **1** of **7** Issue Date: 06/01/2015



SECTION 3	COMPOSITION INFORMATION ON INGREDIENTS			
Formula:	KCI + 0.5% Boron			
Composition:	Potassium Chloride	CAS 7447-40-7	95-99.5%	
, , , , , , , , , , , , , , , , , , , ,	Sodium Chloride	CAS 7647-14-5	0.3-3.7%	
	Calcium Hexaborate Pentahydrate	CAS 1318-33-8	1-5%	Reproductive Toxicity Category 2
	Sodium Tetraborate Anhydrous	CAS 1330-43-4	1-5%	Reproductive Toxicity Category 2

SECTION 4	FIRST AID MEASURES		
	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.	
First Aid Procedures:	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.	
	Inhaled:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.	
	Ingestion:	If large amounts are swallowed, seek emergency medical attention. If possible, do not leave victim unattended and observe closely for adequacy of breathing.	
Note to Physician:	None Known		

SECTION 5	FIRE FIGHTING MEASURES
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire.
Protection of Firefighters:	No unusual fire or explosion hazards are expected. When this material is subjected to high temperatures, it may release small amounts of chloride gas.
	Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials. Full structural firefighting (bunker) gear is the minimum acceptable attire. The need for proximity, entry, flashover and/or special chemical protective clothing (see Section 8) needs to be determined for each incident by a competent firefighting safety professional.
	Water used for fire suppression and cooling may become contaminated. Discharge to sewer system(s) or the environment may be restricted, requiring containment and proper disposal of water (see Section 6).

SECTION 6	ACCIDENTAL RELEASE MEASURES
Response Techniques:	Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal. Large spills can harm or kill vegetation.

Status: Revised

Section(s) Revised: 1 Revision Date: March 24, 2020

Page **2** of **7** Issue Date: 06/01/2015



SECTION 7	HANDLING AND STORAGE
Handling:	The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.
Storage:	Use and store this material in dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.

SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION		
Engineering Controls:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.		
	Eye/Face:		ion to safeguard against potential eye njury is recommended.
	Skin:	contact, possible irrita	
Personal Protective Equipment (PPE):	Respiratory: Other:	particulate filter may concentrations are Protection provided manufacturer's respipressure air suppli uncontrolled release, circumstances where adequate protection. OSHA's 29 CFR 191 be followed if workpla A source of clean wa	ir purifying respirator with a type 95 (R or P) be used under conditions where airborne expected to exceed exposure limits. by air purifying respirators is limited (see irator selection guide). Use a positive ed respirator if there is potential for exposure levels are not known or any other air purifying respirators may not provide A respiratory protection program that meets 0.134 and ANSI Z88.2 requirements must ce conditions warrant a respirator. ter should be available in the work area for in. Impervious clothing should be worn as
	Other.	needed.	in. Impervious clothing should be worn as
General Hygiene Considerations:	Wash thoroughly after handling Use adequate ventilation		
Exposure Guidelines:	OSHA Permissible (PEL):	e Exposure Limits	Particulates Not Otherwise Regulated: 5 mg/m³ TWA (respirable); 15 mg/m³ TWA (dust)
	ACGIH Threshold Limit Value (TLV):		Particulates Not Otherwise Specified: 2 mg/m³ TWA (8-hour); 6 mg/m³ TWA (STEL-inhalable)

SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES		
Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm).			
Appearance:	White to reddish-brown, crystalline or granular	Vapor Pressure (mm Hg):	Not applicable
Odor:	None/Strong Saline	Vapor Density (air=1):	Not applicable

Status: Revised Section(s) Revised: 1 Revision Date: March 24, 2020

Page **3** of **7** Issue Date: 06/01/2015



Odor Threshold:	No data available	Specific Gravity or Relative Density:	1.986 - 1.990
Physical state:	Solid	Bulk Density:	Loose 64 - 75 lbs/ft ³ (1025 - 1200 kg/m ³);
pH:	5.4 – 10.0 in a 5% solution	Solubility in Water:	99.5 - 99.999%; 34.2 g/100mL at 20°C
Melting Point/ Freezing Point:	772 to 776°C (1423 to 1428°F)	Partition coefficient:	No data available
Boiling Point:	Sublimes at 1500°C (2732°F)	Auto-Ignition Temperature:	Not applicable
Flash Point:	Not applicable	Decomposition Temperature:	No data available
Evaporation Rate:	No data available	Viscosity:	No data available
Flammability:	Not applicable	Volatility:	Not applicable
Upper/lower Flammability or explosive limits	Not applicable		

SECTION 10	STABILITY AND REACTIVITY	
Chemical Stability:	Stable under normal conditions of storage and handling. Material is hygroscopic (May absorb moisture from air when relative humidity >72%).	
Conditions to Avoid:	None known	
Incompatible Materials:	Strong oxidizing agents, strong acids	
Hazardous Decomposition Products:	None known	
Corrosiveness:	Similar to salt. Mildly corrosive to metals in the presence of moisture.	
Hazardous Polymerization:	Will not occur	

SECTION 11	TOXICOLOGICAL INFORMATION
Substance:	Potassium Chloride
Acute Oral Toxicity:	LD ₅₀ (rat, oral) > 2600 mg/kg LD ₅₀ (mouse, oral) > 1500 mg/kg
Acute Inhalation Toxicity:	No data available
Acute Dermal Toxicity:	No data available
Substance:	Sodium Chloride
Acute Oral Toxicity:	LD ₅₀ (rat, oral) > 3000 mg/kg LD ₅₀ (mouse, oral) > 4000 mg/kg
Acute Inhalation Toxicity:	LC_{50} (rat) > 42 g/m ³ / 1 hour
Acute Dermal Toxicity:	No data available
Substance:	Calcium Hexaborate Pentahydrate
Acute Oral Toxicity:	No data available
Acute Inhalation Toxicity:	No data available
Acute Dermal Toxicity:	No data available
Substance:	Sodium Tetraborate Anhydrous
Acute Oral Toxicity:	LD ₅₀ (rat, oral) > 6000 mg/kg

Status: Revised Section(s) Revised: 1 Revision Date: March 24, 2020

Page **4** of **7**

Issue Date: 06/01/2015 SDS #: MOS 114753



Acute Inhalation Toxicity:	LC ₅₀ (rat) > 2.0 mg/l		
Acute Dermal Toxicity:	No data available		
Mutagenesis:	No data available	Target Organ	No data available
Developmental Toxicity:	No data available	Carcinogenicity	No data available

SECTION 12	ECOLOG	ICAL INF	ORMATION		
	Dissolution of large quantities of Potassium Chloride and Sodium Chloride in water may create an elevated level of salinity that may be harmful to fresh water aquatic species and to plants that are not salt-tolerant.				
	Potassium Chloride:				
	Lepomis macrochirus	LC50	2010 mg/L		
	Physa heterostrapha	LC50	940 mg/L		
Ecotoxicology:	Scenedesmus subspicatus	EC50	2500 mg/L		
Ecoloxicology.	Sodium Chloride:		-		
	Ceriodaphania dubia	LC50	280,000 - 3,540,000 ug/L		
	Daphnia magnia	LC50	3,144,000 - 10,000,000 ug/L		
	Daphnia pulex	EC50	56.40 mM		
	Pimephales promelas	LD50	6,020,000 - 10,000,000 ug/L		
	Sodium Tetraborate Anhydrous	:	_		
	Daphnia magna	LC50	242 mg/L, 24 hours		
	Embryonic rainbow trout	LC50	88 mg/L, 21 days		

SECTION 13	DISPOSAL CONSIDERATIONS
	This material, if discarded as produced, is not an RCRA "listed" or "characteristic" hazardous waste. Contamination may subject it to hazardous waste regulations. It is the generator's responsibility to properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material.

SECTION 14	TRANSPO	RT INFO
Regulatory Status:		Not regulated
Identification Number:		HTS 3104.20.0000
Hazard Class:		Not applicable
Proper Shipping Name		Not applicable
Packing Group		Not applicable
DOT Emergency Response	e Guide Number:	Not applicable
Transport in bulk according and the IBC Code:	to Annex II of MARPOL 73/78	Not applicable
MARPOL Annex V:		Non-HME
IMO/IMDG:		Not applicable

Status: Revised

Section(s) Revised: 1 Revision Date: March 24, 2020

Page **5** of **7** Issue Date: 06/01/2015



SECTION 15		REGUL	ATORY INFOR	RMATION		
CERCLA:	Not listed					
RCRA 261.33:	Not listed					
SARA TITI F III:	Section 302/304:	Not listed	RQ: No		TPQ: No	
(Exemptions at 40 CFR, Part 370 may apply for	Section 311/312:					
agricultural use, or for quantities of less than	Acute: No	Chronic: No	Fire: No	Pressure: No	Reactivity: No	
10,000 pounds on-site.)	Section 313: Not listed					
NTP, IARC, OSHA:	This material has	not been identified	as a carcinogen by	NTP, IARC, or OS	HA.	
Canada DSL and NDSL:	DSL: Yes NDS	SL: Not listed				
TSCA:	Listed on the TSC	CA Inventory				
CA Proposition 65: (Health & Safety Code Section 25249.5)	⚠ WARNING:	: Cancer and Repro	ductive Harm – ww	vw.P65Warnings.ca	a.gov	
WHMIS 2015:			ding to the hazard on tains all of the info			

SECTION 16	OTHER INFORMATION
Disclaimer:	The information in this document is believed to be correct as of the date issued. HOWEVER, MOSAIC MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO THE USE OF THIS PRODUCT. User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application and assumes the risk of use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this product. Each user should review the recommended industrial hygiene and safe handling procedures in the specific context of the intended use and determine whether they are appropriate.
Preparation:	The preparation of this SDS was in accordance with ANSI Z400.1-2010.
Revision Date:	March 24, 2020
Sections Revised:	1
SDS Number:	MOS 114753
References:	Globally Harmonized System of Classification and Labelling of Chemicals (GHS) – 4 th Edition 2011 OSHA Hazard Communication Standard, 2012 MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET

Status: Revised Section(s) Revised: 1 Revision Date: March 24, 2020

Page **6** of **7**

Issue Date: 06/01/2015 SDS #: MOS 114753



	NFPA HAZARD CLASS			HMIS HAZARD		LASS
	Health:	1		Health:		1
	Flammability:	0	ŀ	Flammability:		0
	Instability:	0	•	Physical Hazard:		0
	Special Hazard:	None		PPE:	Se	ection 8
Other Hazard Classifications:	WHMIS 20	015 (HPR) H	ΑZ	ARD CLASS		
	Signal Word	Warning				
	Symbol		>			

Reproductive Toxicity

H361: Suspected of damaging fertility or the unborn child

Category 2

Classification

Hazard Statements

Status: Revised Page **7** of **7** Issue Date: 06/01/2015 Section(s) Revised: 1 SDS #: MOS 114753

Revision Date: March 24, 2020